

Summary of Pregnant COVID-19 Cases

Data as of November 06, 2020

Total Pregnant COVID-19 Cases

Active Pregnant COVID-19 Cases

Total Pregnant Deaths due to COVID-19




0.79% of all COVID-19 cases are among pregnant women

56


0.28% of active COVID-19 cases are among pregnant women

2

0.06%* of deaths due to COVID-19 are among pregnant women



Cumulative Pregnant COVID-19 Cases by Public Health Region




Case is defined as PCR positive for SARS-CoV-2.


Active is defined as cases within 14 days of illness onset date or specimen collection date.

*Rate may not be reliable due to small numbers and will likely lack statistical significance when making comparisons.

Demographics of Total Pregnant COVID-19 Cases

Data as of November 06, 2020







Summary of Black/African American Pregnant COVID-19 Cases

Data as of November 06, 2020

Total Pregnant Black/African American COVID-19 Cases


Active Pregnant Black/African American COVID-19 Cases

403


4

20% out of **2,026** total pregnant cases are among Black/African Americans.

7%* out of **56** active pregnant cases are among Black/African Americans.



Cumulative Black/African American Pregnant COVID-19 Cases by Public Health Region



Case is defined as PCR positive for SARS-CoV-2.

Active is defined as cases within 14 days of illness onset date or specimen collection date.

^{*}Rate may not be reliable due to small numbers and will likely lack statistical significance when making comparisons.

^{*}Suppressed data is reflective of a case count between 1–4. In the event only one county had a case count between 1–4, the county with the next lowest case count is suppressed.



Summary of Hispanic or Latina Pregnant COVID-19 Cases

Data as of November 06, 2020

Total Pregnant Hispanic or Latina COVID-19 Cases


Active Pregnant Hispanic or Latina COVID-19 Cases

502


6

25% out of **2,026** total pregnant cases are among Hispanic or Latinas.

11%* out of **56** active pregnant cases are among Hispanic or Latinas.



Cumulative Hispanic or Latina Pregnant COVID-19 Cases by Public Health Region



Case is defined as PCR positive for SARS-CoV-2.

Active is defined as cases within 14 days of illness onset date or specimen collection date.

^{*}Rate may not be reliable due to small numbers and will likely lack statistical significance when making comparisons.

^{*}Suppressed data is reflective of a case count between 1–4. In the event only one county had a case count between 1–4, the county with the next lowest case count is suppressed.